



5817 SPINNING BIKE






SHANDONG BAODELONG FITNESS CO., LTD
No. 1, Changjiang Street, Development Zone, Ningjin County,
Dezhou, Shandong 253400, China
Tel: +86-10-85806857 Fax: +86-10-85806257

FT-5817 Spinning Bike



Features:

- Completely closed design gives the ABS housing unique shape and characteristics basis on the traditional plain and neat frame, which makes it more attractive and meet the current customers' expectations.
- The patent of all-new powerful appearance attracts customers' attention and makes it to be the selling point.
- It is unique with the application of the overall colors and the bright spot of this bike.
- The adoption of the pullout proof design patent for the aluminum tubes under the seat & the handle avoid the extraction of the slip vertical pipe from the fixed standpipe due to large range of upward moving. At the same time, it also avoids the reinstallation issue. As a result, it will avoid the injury caused by the vertical pipe to the users so that it can ensure the safety and improve the exercise efficiency & the users' experience performance.
- The handle tube and seat tube are made of aluminum alloy, which can't be corroded easily. The users can adjust both the handle and seat more smoothly. It improves the stability of the quality.
- The design of the frame is suitable for the ergonomics.
- Multiple seat and handle bar adjustments will be suitable for different customers.
- Dual metal pedal with adjustable foot cage makes users comfortable.
- The thick imported shaft ensures lower failure rate and durability.
- Bearings and shafts are matched more precisely and it's easier to maintain it and replace ageing parts.
- Belt drive mode brings less noises and smoother movements and makes it lubrication-free.
- The excellent brake button with press-down design is made of wool felt, which will





SHANDONG BAODELONG FITNESS CO., LTD
No. 1, Changjiang Street, Development Zone, Ningjin County,
Dezhou, Shandong 253400, China
Tel: +86-10-85806857 Fax: +86-10-85806257

prolong the service life

- Front moving wheels design will allows the users to move the bike easily.
- The patent design of protective cover prevents the fly wheel and frame from the sweat corrosion.

Specifications:

- Size: 1068mm*526mm*1045~1300mm
- Net Weight: 50KGS
- Gross Weight: 55 KGS
- Fly Wheel Weight: 22.5KGS
- Max User Weight: 130KGS / 287LBS
- Tube Thickness: 2.5mm
- Bearing: M20
- Packaging: Carton
- EN-957 approved

WARRANTY	
Frame	10 Years
Other Parts	1 Year
CERTIFICATIONS	
Certificates	CE, RoHS